PATENT ABSTRACTS OF JAPAN

(11)Publication number:

08-256296

(43) Date of publication of application: 01.10.1996

(51)Int.CI.

HO4N 5/335 H01L 23/02 H01L 27/14 // HO1L 21/60

(21)Application number: 08-053453

(71)Applicant : SONY CORP

(22)Date of filing:

11.03.1996

(72)Inventor: YAMAMURA MICHIO


MOTOI NAOAKI NARA YOSHIRO **MUTO MASUKO**

(54) VIDEO CAMERA

(57)Abstract:

PURPOSE: To provide the video camera having a solidstate image pickup device in which flare is reduced with simple configuration.

CONSTITUTION: The video camera is provided with a solid-state image pickup device in which a solid-state image pickup element 2 is mounted in a package 1 via a die-pad layer 3. An image forming face X formed on the solid-state image pickup element 2 through an image pickup lens extends over the outside of the solid-state image pickup element 2 and the die-pad layer 3 is excluded in a region of the image forming face X at the outside of the solid-state image pickup element. Furthermore, a bonding pad 5 is arranged to the region excluding the image forming face X.



LEGAL STATUS

[Date of request for examination]

11.03.1996

[Date of sending the examiner's decision of

13.05.1997

rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or

application converted registration [Date of final disposal for application]

[Patent number]

2847093

[Date of registration]

06.11.1998

[Number of appeal against examiner's decision 09-09931

of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

(54) [Title of the Invention] Video Camera

(57) [ABSTRACT]

[Problem]

The present invention provides a video camera including a solid-state image pickup apparatus capable of reducing the flare phenomena with a simple configuration.

[Solving Means]

10 A video camera according to the present invention includes a solid-state image pickup apparatus formed by attaching a solid-state image pickup element 2 to a package 1 via a die pad layer 3. An image forming surface X formed on the solid-state image pickup element 2 via an image pickup lens

extends to outside of the solid-state image pickup element 2, and the die pad layer 3 is excluded in an area of the image formation face X outside the solid-state image pickup element 2. In addition, bonding

20 pads 5 are disposed in an area except the image formation face X.

(57) [Claims]

[Claim 1]

A video camera including a solid-state image

25 pickup apparatus formed by attaching a solid-state
image pickup element to a package via a die pad layer,
wherein

an image formation face formed on the solidstate image pickup element via an image pickup lens extends to outside of the solid-state image pickup element, and the die pad layer is excluded in an area of the image formation face outside the solid-state image pickup element.

[Claim 2]

10

20

A video camera including a solid-state image pickup apparatus formed by attaching a solid-state image pickup element having bonding pads around an image pickup area to a package, wherein

the bonding pads are disposed in an area except an image formation face formed on the solid-state image pickup element via an image pickup lens.

15 [Detailed Description of the Invention]
[0001]

[Technical Field Pertinent to the Invention]

The present invention relates to a video camera, and in particular to a video camera having a solid-state image pickup apparatus formed by attaching a solid-state image pickup element to a package via a die pad layer.

[0002]

[Prior Art]

As a solid-state image pickup apparatus adapted to be used in a video camera, a solid-state image pickup apparatus having a front view shown in Fig. 3

and a sectional view shown in Fig. 4 has been proposed heretofore.

[0003]

This solid state image pickup apparatus is formed by forming a rectangular shaped die pad layer 3 made of gold and made larger in area than a solidstate image pickup element 2, on an internal bottom face of a package 1 having an opening in its top surface and made of ceramics, which is small in reflection factor, die-bonding the solid-state image 10 pickup element 2 to a central part of the die pad layer 3 so as to bring a back surface of the solidstate image pickup element 2 into contact with the central part of the die pad layer 3, mounting a 15 transparent glass plate 4 on the top surface of the package 1, and hermetically sealing the solid-state image pickup element 2. In this case, bonding pads 5...5 of the solid-state image pickup element 2 are connected to internal terminals 7...7, which are connected to terminals 6...6 provided on outside 20 surfaces of the package 1, via gold wires 8...8. aspect ratio of an image pickup area 9 of the solid state image pickup element 2 is set to 3:4 in the same way as the aspect ratio of TV sets.

In the solid-state image pickup apparatus of the present example having such a configuration, uniform electric adhesion is conducted by the die pad

layer 3. Therefore, electric characteristics of the solid-state image pickup element 2 can be stabilized.
[0004]

[Problems that this invention is to solve]

In the case where such a solid-state image 5 pickup apparatus is used in a video camera, a circular image forming face X as represented by a two-dotted line in Fig. 5 is formed in the video camera by an image pickup lens. In this case, the image forming face X is formed so as to include the 10 whole surface of the image pickup area of the solidstate image pickup element 2. In the present example, therefore, a part of the die pad layer 3 is also included in the image forming face X. As a result, a 15 part of a subject image is formed in a part of the die pad layer 3 included in the image forming face X, as well. In order to ensure die bonding, the die pad layer is formed of gold. Gold has a large light reflection factor. In the solid-state image pickup apparatus of the present example, if a subject image 20 of high luminance is formed on the die pad layer 3 included in the image forming face X, therefore, considerably strong reflected light is generated on the die pad layer 3. The reflected light is 25 reflected again by the image pickup lens, incident on the image pickup area 9 of the solid-state image pickup element 2, and generates gold-colored flare on

an reproduced screen. The solid-state image pickup apparatus of the present example has such a drawback. [0005]

In this case, therefore, it is considered that

5 such flare is prevented from being generated by
covering the exposed die pad layer 3 with a
reflection prevention film having a light absorption
property (see Japanese Patent Application Laid-Open
Publication No. 56-24969). By doing so; however,

10 there occurs a drawback that extra members are needed
and manufacture processes are increased, resulting in
an increased price.

[0006]

In view of these points, an object of the

5 present invention is to provide a solid-state image pickup apparatus capable of reducing the flare phenomena with a simple configuration.

[0007]

[Means for Solving the Problems]

A video camera according to the present invention is a video camera including a solid-state image pickup apparatus formed by attaching a solid-state image pickup element to a package via a die pad layer, wherein an image formation face formed on the solid-state image pickup element via an image pickup lens extends to outside of the solid-state image pickup element, and the die pad layer is excluded in

an area of the image formation face outside the solid-state image pickup element.

A video camera according to the present

invention is a video camera including a solid-state image pickup apparatus formed by attaching a solid-state image pickup element having bonding pads around an image pickup area to a package, wherein the bonding pads are disposed in an area except an image formation face formed on the solid-state image pickup element via an image pickup lens.

[10009]

In the video camera according to the present invention, the image formation face formed on the solid-state image pickup element via the image pickup lens extends over to the outside of the solid-state image pickup element, and the die pad layer is excluded in an area of the image formation face outside the solid-state image pickup element. As a result, flare phenomena can be reduced and a favorable image pickup screen can be obtained.

[Mode for carrying out the Invention]

15

Hereafter, an embodiment of a solid-state image
25 pickup apparatus according to the present invention
will be described with reference to Figs. 1 and 2.
In Figs. 1 and 2, the same components corresponding

to those shown in Figs. 3 to 5 are denoted by like characters, and detailed description thereof will be omitted.

[0011]

5 In the present example as well, a die pad layer 3 formed of gold is formed on an internal bottom face of a package 1 made of ceramics, which is small in reflection factor, and a solid-state image pickup element is die-bonded to the die-pad layer 3. In this case, longer side portions 3A and 3B of the die pad layer 3 are made greater in length than longer side portions 2A and 2B of the solid-state image pickup element 2. However, shorter side portions 3C and 3D of the die pad layer 3 are made less in length than shorter side portions 2C and 2D of the solidstate image pickup element 2. For example, the shorter side portions 3C and 3D are made shorter than the shorter side portions 2C and 2D by approximately 0.05 mm at both ends. Furthermore, in the present 20 example, bonding pads 5...5 of the solid-state image pickup element 2 are provided on the shorter side portions. In addition, internal terminals 7...7 and external terminals 6...6 of the package 1 are respectively provided on internal step portions and 25 outside surfaces of the package 1 corresponding to the shorter side portions of the solid-state image pickup element 2. Other portions are formed in the

same way as the example shown in Fig. 3. [0012]

It is now supposed that the solid-state image pickup apparatus of the present example having such a configuration is used in, for example, a video camera, and a circular image forming face X including the image pickup area 9 of the solid-state image pickup element 2 as represented by a two-dotted line in Fig. 2 is formed in the video camera. In the solid-state image pickup apparatus of the present example, the 10 shorter side portions 3C and 3D of the die pad layer 3 are made shorter than the shorter side portions 2C and 2D of the solid-state image pickup element 2, and the die pad layer 3 is formed so as not to protrude 15 on the longer side portions of the sold-state image pickup element 2. Even if a subject image of high luminance is formed on a peripheral portion of the solid-state image pickup element 2, therefore, that peripheral portion is a ceramics portion, which is 20 small in light reflection factor, and consequently reflected light is not generated unlike the example shown in Fig. 3. Therefore, the present embodiment brings about an advantage that flare phenomena are prevented from being caused by forming a subject 25 image of high luminance in the peripheral portion of the solid-state image pickup element 2 and favorable image pickup can be conducted.

[0013]

Furthermore, in the present example, the bonding pads 5...5 of the solid-state image pickup element 2 are formed on the shorter side portions, and the bonding pads 5...5 are not disposed in the image formation face X. This results in an advantage that flare phenomena are also prevented from being caused by reflection at the bonding pads 5...5.

layer 3 is formed so as not to protrude on the longer side portions of the solid-state image pickup element 2 has been described. According to the shape of the solid-state image pickup element 2, the die pad layer 3 may be formed so as not to protrude at all from the surface of the solid-state image pickup element. In this case as well, the operation and effects similar to those described above can be obtained.

[0015]

The present invention is not limited to the above-described embodiment. It is a matter of course that various other configurations can be taken without departing from the spirit of the present invention.

$\cdot 25 \quad [0016]$

[Effect of the Invention]

According to the present invention, the die pad

layer 3 is formed so as not to protrude from at least one side of the solid-state image pickup element 2. This results in an advantage that flare phenomena can

be reduced and a favorable image pickup screen can be obtained.

[Brief Description of the Drawings]

[Fig. 1]

Fig. 1 is a front view showing an embodiment of a solid-state image pickup apparatus according to the present invention.

[Fig. 2]

Fig. 2 is a diagram showing the example shown in Fig. 1.

[Fig. 3]

Fig. 3 is a front view showing a conventional solid-state image pickup apparatus.

[Fig. 4]

Fig. 4 is a sectional view taken along a line IV-IV'.

20 [Fig. 5]


Fig. 5 is a diagram showing the example shown in Fig. 3.

[Description of reference numerals]

1...package, 2...solid-state image pickup element,

25 3...die pad layer, 5...5...bonding pads, 9...image pickup area.

FIG. 1



Front view of an embodiment

FIG. 2






Diagram showing example of Fig. 1

FIG. 3



Front view of conventional technique example

FIG. 4



Sectional view taken along IV-IV' in Fig. 3

FIG. 5




Diagram showing example of Fig. 3

(19)日本国特許庁 (JP)

(51) Int.Cl.6

(12) 公開特許公報(A)

FΙ

庁内整理番号

(11)特許出顧公開番号

特開平8-256296

(43)公開日 平成8年(1996)10月1日

技術表示箇所

H 0 4 N 5/335	H 0 4 N 5/335 V
H01L 23/02	H01L 23/02 F
27/14	21/60 3 0 1 N
# H O 1 L 21/60 3 O 1	27/14 D
	審査請求 有 発明の数2 OL (全 4 頁)
(21)出顯番号 特顧平8-53453	(71)出願人 000002185
(62)分割の表示 特願昭61-250590の分割	ソニー株式会社
(22)出願日 昭和61年(1986)10月21日	東京都品川区北品川6丁目7番35号
	(72)発明者 山村 道男
	東京都品川区北品川6丁目7番35号 ソニ
	一株式会社内
	(72)発明者 本射 直明
	東京都品川区北品川6丁目7番35号 ソニ
	一株式会社内
	(72)発明者 奈良 義郎
	東京都品川区北品川6丁目7番35号 ソニ
	一株式会社内
	(74)代理人 弁理士 松隈 秀盛
	最終頁に続く


(54) 【発明の名称】 ビデオカメラ

(57)【要約】

【課題】 簡単な構成でフレア現象を低減できる固体撥像装置を有するビデオカメラを提供する。

識別配号

【解決手段】 本発明のビデオカメラは、固体操像素子 2をダイパッド層3を介してパッケージ1に装着してなる固体操像装置を有している。ここで、操像レンズを通して固体操像素子2上に形成される結像面Xは固体操像素子2外に及んでおり、かつ、結像面Xの固体操像森子2外の領域においてはダイパッド層3は排除されている。また結像面Xを除く領域にポンディングパット5を配置している。



【特許請求の範囲】

【讃求項1】 固体撮像素子をダイバッド層を介してパ ッケージに装着してなる固体提像装置を有するビデオカ メラにおいて、

撮像レンズを通して上配固体機像案子上に形成される結 像面が上記固体協像索子外に及んでおり、かつ、上記結 像面の上記固体提像素子外の領域においては上記ダイバ ッド層が排除されてなることを特徴とするビデオカメ ラ。

【請求項2】 撮像領域の周辺にポンディングパットを 10 有してなる固体撮像案子をパッケージに装着して成る固 体操像装置を有するピデオカメラにおいて、

撮像レンズを通して上記固体撮像素子上に形成される結 像面を除く領域に上記ポンディングパットが配置されて なることを特徴とするビデオカメラ。

【発明の詳細な説明】

[0001]

【発明の属する技術分野】本発明は、ビデオカメラに関 し、特に固体規像案子をダイバッド層を介してバッケー ジに装着してなる固体操像装置を有するビデオカメラに 20 関する.

[0002]

【従来の技術】従来、ビデオカメラに使用し得る様にな された固体撮像装置として図3にその正面図、図4にそ の断面図を示す様なものが提案されている。

【0003】この固体撮像装置は、上面を開口とした反 射率の小さいセラミクスより成るパッケージ1の内部底 面に固体提像素子2よりも面積を大きくする金よりなる 長方形状のダイバッド層3を形成し、このダイバッド層 3の中央部に固体摄像素子2をその裏面が当接する様に 30 してダイポンディングすると共にこのパッケージ1の上 面に透明ガラス板4を装着し、固体機像素子2を密封す る様にして構成されている。この場合、固体撮像素子2 のポンディングパッド5……5は、パッケージ1の外面 に設けられた端子6……6と接続されたパッケージ1の 内部の端子7・・・・7と金線8・・・8を介して接続され る。尚、固体操像素子2の操像領域9の縦横比はテレビ ジョン受像機の縦横比と同様の3:4とされている。 ダイバッド

この様に構成された本例の固体提像装置においては、ダ 40 イパッド層3により固体撮像素子2の裏面の均一な電気 的接着がとられるので、固体撮像素子2の電気的特性を 安定したものとすることができる。

[0004]

【発明が解決しようとする課題】ここに斯る固体機像装 **図をビデオカメラに使用した場合、ビデオカメラにおい** ては、撮像レンズによって図5に2点鎖線で示す様な円 形の結像面Xが形成される。この場合、この結像面Xは 固体損像案子2の損像領域の全面を含む様に形成される

Xに含まれ、この結果、被写体像の一部はこの結像面X に含まれるダイパッド層3の一部にも結像されることに なる。ここにダイパッド層3は良好なダイポンディング を確保するため、金で構成されるが、金は光反射率が大 きく、このため、本例の固体撮像装置においては、高輝 度の被写体像が上述の結像面X内に含まれるダイバッド 層3に結像された場合、このダイバッド層3においてか なり強い反射光が生じ、この反射光が撮像レンズで再び 反射されて固体機像案子2の機像領域9に入射し、再生 **画面上に金色のフレアを生じさせるという不都合があっ**

2

[0005] そこでこの場合、餞出しているダイバッド 層3を光吸収性を有する反射防止膜で被覆することによ って斯るフレアを生じない様にすることが考えられる (特開昭56-24969号公報参照)。 しかしなが ら、この様にするときは、氽分な部材を必要とすると共 に製造工程が増加し、価格を上昇させるという不都合が あった。

【0006】本発明は、斯る点に鑑み、簡単な構成でフ レア現象を低減できる様にした固体撮像装置を提供する ことを目的とする。

[0007]

た.

【課題を解決するための手段】本発明のビデオカメラ は、固体撮像素子をダイパッド層を介してパッケージに 装着して成る固体撥像装置を有するビデオカメラにおい て、協像レンズを通して固体協像素子上に形成される結 像面が固体操像素子外に及んでおり、かつ、結像面の固 体撮像素子外の領域においてはダイバッド層が排除され てなるものである。

【0008】また、本発明のビデオカメラは、扱像領域 の周辺にポンディングパットを有してなる固体扱像業子 をパッケージに装着して成る固体撮像装置を有するビデ オカメラにおいて、撮像レンズを通して固体撮像素子上 に形成される結像面を除く領域にポンディングパットが 配置されてなるものである。

【0009】本発明のピデオカメラによれば、扱像レン ズを通して固体機像素子上に形成される結像面が固体扱 像素子外に及んでおり、かつ、結像面の固体撮像素子外 の領域においてはダイバッド層が排除されているので、 フレア現象の低減がなされ、良好な撮像画面を得ること ができる。

[0010]

【発明の実施の形態】以下、図1及び図2を参照して本 発明固体操像装置の一実施例につき説明しよう。この図 1及び図2において、図3~図5に対応する部分には同 一符号を付し、その詳細説明は省略する。

【0011】本例においても、反射率の小さいセラミク スより成るパッケージ1の内部底面に金より成るダイバ ッド層3を形成し、このダイパッド層3に固体攝像素子 ため、本例においては、ダイパッド層3の一部も結像面 50 をダイボンティングするが、この場合、ダイパッド層3

3

の長辺部3A,3Bの長さを固体撮像案子2の長辺部2A,2Bの長さよりも長くするも、ダイバッド層3の短辺部3C,3Dの長さを固体撮像案子2の短辺部2C,2Dの長さよりも短く、例えばその両端において夫々0.05mm程度短くなる様にする。また本例においては固体撮像案子2のボンディングバッド5・・・5を短辺側に設ける様にすると共に、バッケージ1の内部端子7・・・・7及び外部端子6・・・6を夫々固体撮像案子2の短辺側に対応するバッケージ1の内部段部及び外面に設ける様にする。その他については図3例と同様に構成す10る。

【0012】この様に構成された本例の固体撮像装置においては、これを例えばビデオカメラに使用し、このビデオカメラにおいて図2に2点鎖線で示す様な固体操像案子2の掃像領域9を含む円形の結像面Xが形成される様な場合においても、本例の固体操像装置においては、ダイパッド層3の短辺部3C,3Dを固体操像案子2の短辺部2C,2Dより短くされ、ダイパッド層3は固体操像案子2の長辺部側にはみ出さない様になされているので、固体操像素子2の周辺部に高輝度の被写体像が結めで、固体操像素子2の周辺部に高輝度の被写体像が結めで、固体操像素子2の周辺部に高輝度の被写体像が結らたとしても、その部分は光反射率の小さいセラミクスの部分であるため図3例の様に反射光は生じない。従って、本実施例に依れば、固体操像素子2の周辺部に高輝度の被写体像が結像されることによって生ずるフレア現象を生じない様にし、良好な撮像を行うことができるという利益がある。

【0013】また、本例においては、固体撮像素子2のポンディングバッド5…5を短辺側に形成し、結像面

X内にポンディングバッド5……5が配されない様になされているので、このポンディングバッド5……5の反射によって生ずるフレア現象も生じない様にすることができるという利益がある。

【0014】尚、上述実施例においては、ダイバッド層3が固体機像素子2の長辺部側にはみ出さない様にした場合につき述べたが、固体操像素子2の形状によっては、固体操像素子面から全くはみ出さない様にしても良く、この場合にも、上述同様の作用効果を得ることができる。

【0015】また本発明は、上述実施例に限らず、本発明の要旨を逸脱することなく、その他種々の構成が取り得ることは勿論である。

[0016]

【発明の効果】本発明に依れば、ダイバッド層3は、固体協像寮子2の少なくとも一辺よりはみ出さない様になされているので、フレア現象の低減がなされ、良好な協像画面を得ることができるという利益がある。

【図面の簡単な説明】


【図1】本発明固体撮像装置の一実施例を示す正面図である。

- 【図2】図1例の説明に供する線図である。
- 【図3】従来の固体機像装置を示す正面図である。
- 【図4】図3のIV-IV′線断面図である。
- 【図5】図3例の説明に供する線図である。


【符号の説明】

1 パッケージ、2 固体撮像素子、3 ダイパッド層、5····5 ボンディングパット、9 撮像領域


(図1)



[图2]



[図3]



(図4)




图3 n IV-IV級的面图

[図5]




图3例的说明以换了3种图

フロントページの続き

(72)発明者 武藤 益子

東京都品川区北品川6丁目7番35号 ソニ 一株式会社内